

UNITED STATES DISTRICT COURT  
OFFICE OF THE CLERK  
SOUTHERN DISTRICT OF MISSISSIPPI  
Jackson, Mississippi

ARTHUR JOHNSTON  
CLERK OF COURT

[Arthur.Johnston@mssd.uscourts.gov](mailto:Arthur.Johnston@mssd.uscourts.gov)

501 E. Court St., Suite 2.500  
Jackson, MS 39201

TELEPHONE  
601-608-4010

April 16, 2020

*Divisions*

SOUTHERN at Gulfport  
2012 15<sup>th</sup> St., Suite 403, Zip 39501

EASTERN at Hattiesburg  
701 N. Main St., Suite 200, Zip 39401

JACKSON & WESTERN at Jackson  
501 E. Court St., Suite 2.500 Zip 39201

**RE: Request for Quotation – UPS Units for Computer Room**  
**RFQ # - 2020IT1**

This is a request for Open Market Pricing.

All items should be quoted F.O.B. Destination with inside delivery.

Quotes may be emailed to the address listed by April 24, 2020 at COB. Hand carried quotes must be delivered by the same time at the Jackson Federal Courthouse, Jackson, MS, Suite 2.500, to the attention of Shane Janos.

A fixed price award from this RFQ will be made based on the lowest priced, technically acceptable offer. Inside delivery is desired no more than 14 days after receipt of the order. The Court is seeking APC or equivalent value pricing for a product meeting the specifications listed on the attachment.

Quotes and questions concerning this RFQ should be addressed to Shane Janos at 601 608 4032. Technical questions should be addressed to Melvin Sawyer at 601-608-4041. The delivery address for this purchase will be the Thad Cochran Federal Courthouse, Suite 2.500, Jackson, MS, 39201.

Sincerely,

Shane Janos  
Contracting Officer

Quote Sheet for RFQ Number 2018IT1

Item No.	Description	Quantity	Unit	Unit Price	Extended Price
1	<p>UPS unit – High density, double-conversion on-line power protection with scalable runtime. Includes: CD with software, Documentation CD, Installation guide, Rack Mounting brackets, Rack mounting hardware, Rack Mounting support rails, Temperature Probe. Same or similar to APC Smart-UPS SRT 10000VA RM 208V – P/N SRT10KRMXLT</p> <p>Output power capacity - 10.0kWatts / 10.0kVA</p> <p>Rack Height - 6U</p> <p>Output Connections  (1) Hard Wire 3-wire (2PH + G) (Battery Backup)  (4) NEMA L6-20R (Battery Backup)  (2) NEMA L6-30R (Battery Backup)</p> <p>Nominal Output Voltage 208V</p> <p>Nominal Input Voltage - 208V</p> <p>Input Connections  Hard Wire 3-wire (2PH + G)</p> <p>Condition: New</p>	2	Each	(contractor will fill in)	(contractor will fill in)
2	<p>Extended-run battery systems to provide flexible runtime to critical UPS applications. Includes: Installation guide, Rack Mounting brackets, Warranty card Same or similar to APC Smart-UPS SRT 192V 8 and 10kVA RM Battery Pack – P/N SRT192RMBP2</p> <p>Battery Output Voltage - +/- 192V</p>	4	Each	(contractor will fill in)	(contractor will fill in)

	<p>Battery type - Maintenance-free sealed Lead-Acid battery with suspended electrolyte : leakproof</p> <p>Battery mounting - Stand alone battery stack</p> <p>Hot-swappable batteries</p> <p>Expected Battery Life (years) - 3 - 5</p> <p>Battery Volt-Amp-Hour Capacity - 1920</p> <p>Maximum Height - 5.1inches (130MM, 13.0CM)</p> <p>Maximum Width - 17.0inches (432MM, 43.2CM)</p> <p>Maximum Depth - 26.88inches (682MM, 68.27CM)</p> <p>Net Weight - 200.2lbs. (91.0KG)</p> <p>Condition: New</p>				
3	<p>Step-Down Transformer to convert high voltage (208 or 200 VAC) output into low voltage (120 or 100 VAC) output for powering low voltage AC equipment. Includes: Documentation CD, Hardwire Panel, Installation Guide, Rack Mounting Brackets, User Manual</p> <p>Same or similar to APC 208V/120V 10KVA Step down Transformer – P/N APTF10KT01</p> <p>Rack Height - 4U</p> <p>Output Connections -</p> <p>(1) Hard Wire 3-wire (2PH + G) (Battery Backup)</p> <p>(2) NEMA L5-20R (Battery Backup)</p> <p>(2) NEMA L14-30R (Battery Backup)</p>	1	Each	(contractor will fill in)	(contractor will fill in)

	<p>Nominal Output Voltage - 120V, 208V, 240V</p> <p>Nominal Input Voltage - 208V</p> <p>Input Connections - Hard Wire 3-wire (2PH + G)</p> <p>Condition: New</p>				
4	<p>UPS unit - High density, double-conversion on-line power protection with scalable runtime.</p> <p>Includes: CD with software, Documentation CD, Installation guide, Integrated network management, Removable support feet, Temperature Probe. Same or similar to APC Smart-UPS SRT 5000VA with 208/240V to 120V Step-Down Transformer – P/N SRT5KXLT-5KTF</p> <p>Output power capacity - 4.8kWatts / 5.0kVA</p> <p>Output Connections</p> <p>(8) NEMA 5-20R (Battery Backup)</p> <p>(1) NEMA L14-30R (Battery Backup)</p> <p>(2) NEMA L6-30R (Battery Backup)</p> <p>(4) NEMA L6-20R (Battery Backup)</p> <p>Nominal Output Voltage - 120V, 208V</p> <p>Nominal Input Voltage - 208V</p> <p>Input Connections - NEMA L6-30P</p> <p>Cord Length - 10ft (3.05meters)</p> <p>Condition: New</p>	2	Each	(contractor will fill in)	(contractor will fill in)
5	<p>Extended-run battery systems provide flexible runtime to critical UPS applications. Includes: Installation guide, Warranty card. Same or similar to APC Smart-UPS SRT 192V 5kVA and 6kVA RM Battery Pack – P/N SRT192RMBP</p> <p>Battery Output Voltage - 192V</p>	2	Each	(contractor will fill in)	(contractor will fill in)

<p>Battery type - Maintenance-free sealed Lead-Acid battery with suspended electrolyte : leakproof</p> <p>Battery mounting - Stand alone battery stack</p> <p>Hot-swappable batteries</p> <p>Expected Battery Life (years) - 3 - 5</p> <p>Battery Volt-Amp-Hour Capacity - 1920</p> <p>Maximum Height - 5.1inches (130MM, 13.0CM)</p> <p>Maximum Width - 17.0inches (432MM, 43.2CM)</p> <p>Maximum Depth - 26.88inches (682MM, 68.27CM)</p> <p>Net Weight - 200.2lbs. (91.0KG)</p> <p>Condition: New</p>				
--	--	--	--	--

\_\_\_\_\_  
Vendor's Name

\_\_\_\_\_  
Vendor's Phone Number/fax number/e-mail address

\_\_\_\_\_  
Vendor's Street Address

\_\_\_\_\_  
Vendor's City, State, and Zip Code

\_\_\_\_\_  
Signature of Person Authorized to Sign Quote

\_\_\_\_\_  
Date

\_\_\_\_\_  
Printed or Typed Name of Signator

\_\_\_\_\_  
DUNS Number

\_\_\_\_\_  
Discount Terms or Net 30?  
period)

\_\_\_\_\_  
Delivery Date (if other than stated ARO

## **APPLICABLE JUDICIARY TERMS AND CONDITIONS**

### **1. Clause B-5, Clauses Incorporated by Reference (SEP 2010)**

This contract incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the contracting officer will make their full text available. Also, the full text of a clause may be accessed electronically at this address:  
<http://www.uscourts.gov/procurement.aspx>

2. The contractor shall comply with the clauses in this paragraph that the contracting officer has indicated as being incorporated in this contract: [Contracting officer check as appropriate.]

- ☐ Clause 2-35 F.o.b. Destination, Within Judiciary's Premises (JAN 2003)
- ☐ Clause 2-130 Energy Efficiency in Energy-Consuming Products (APR 2013)
- ☐ Clause 2-135 IEEE Standard for Environmental Assessment of Personal Computer Products (APR 2013)
- ☒ Clause 3-3 Provisions, Clauses, Terms and Conditions - Small Purchases (APR 2013)
- ☐ Clause 6-85 Commercial Computer Software License (APR 2013)
- ☐ Clause 6-105 California E-Waste Fee (APR 2013)
- ☐ Clause 7-115 Availability of Funds (JAN 2003)

## **SUBMISSION OF QUOTE AND EVALUATION OF OFFERS**

1. The following judiciary provisions, that the contracting officer has indicated are applicable, are incorporated in this solicitation: [Contracting officer check as appropriate.]

☐ Provision B-1, Solicitation Provisions Incorporated by Reference (SEP 2010)

This solicitation incorporates one or more solicitation provisions by reference, with the same force and effect as if they were given in full text. Upon request, the contracting officer will make their full text available. The offeror is cautioned that the listed provisions may include blocks that must be completed by the offeror and submitted with its quotation or offer. In lieu of submitting the full text of those provisions, the offeror may identify the provision by paragraph identifier and provide the appropriate information with its quotation or offer. Also, the full text of a solicitation provision may be accessed electronically at this address:

<http://www.uscourts.gov/procurement.aspx>.

(end)

### **Solicitation Provisions Incorporated by Reference**

- ☐ Provision 2-100, Brand Name or Equal (APR 2013)
- ☐ Provision 3-135, Single or Multiple Awards (JAN 2003)
- ☐ Provision 2-85C, Evaluation of Options Exercised at Time of Contract Award (JAN 2003)

### **Additional Solicitation Provisions**

X   Provision 4-1, Type of Contract (JAN 2003)

The judiciary plans to award an open market type of contract under this solicitation, and all offers shall be submitted on this basis. Alternate offers based on other contract types will not be considered.

(end)

  X   Provision 3-5, Taxpayer Identification and Other Offeror Information (APR 2011)

(a) Definitions.

“Taxpayer Identification (TIN),” as used in this provision, means the number required by the Internal Revenue Service (IRS) to be used by the offeror in reporting income tax and other returns. The TIN may be either a social security number or an employer identification number.

(b) All offerors shall submit the information required in paragraphs (d) and (e) of this provision to comply with debt collection requirements of 31 U.S.C. 7701(c) and 3325(d), reporting requirements of 26 U.S.C. 6041, 6041A, and implementing regulations issued by the IRS. If the resulting contract is subject to the payment reporting requirements, the failure or refusal by the offeror to furnish the information may result in a 31 percent reduction of payments otherwise due under the contract.

(c) The TIN may be used by the government to collect and report on any delinquent amounts arising out of the offeror’s relationship with the government (31 U.S.C. 7701(c)(3)). If the resulting contract is subject to payment recording requirements, the TIN provided hereunder may be matched with IRS records to verify the accuracy of the offeror’s TIN.

(d) Taxpayer Identification Number (TIN):\_\_\_\_\_

☐ TIN has been applied for.

☐ TIN is not required, because:

☐ Offeror is a nonresident alien, foreign corporation or foreign partnership that does not have income effectively connected with the conduct of a trade or business in the United States and does not have an office or place of business or a fiscal paying agent in the United States;

☐ Offeror is an agency or instrumentality of a foreign government;

☐ Offeror is an agency or instrumentality of the federal government.

(e) Type of organization:

☐ sole proprietorship;

☐ partnership;

☐ corporate entity (not tax-exempt);

- ☐ corporate entity (tax-exempt);
- ☐ government entity (federal, state or local);
- ☐ foreign government;
- ☐ international organization per 26 CFR 1.6049-4;
- ☐ other \_\_\_\_\_.

(f) Contractor representations.

The offeror represents as part of its offer that it is ☐, is not, ☐ 51% owned and the management and daily operations are controlled by one or more members of the selected socio-economic group(s) below:

- ☐ Women Owned Business
- ☐ Minority Owned Business (if selected, then one sub-type is required)
  - ☐ Black American
  - ☐ Hispanic American
- ☐ Native American (American Indians, Eskimos, Aleuts, or Native Hawaiians)
- ☐ Asian-Pacific American (persons with origins from Burma, Thailand, Malaysia, Indonesia, Korea, The Philippines, U.S. Trust Territory of the Pacific Islands (Republic of Palau), Republic of the Marshall Islands, Federated States of Micronesia, the Commonwealth of the Northern Mariana Islands, Guam, Samoa, Macao, Hong Kong, Fiji, Tonga, Kiribati, Tuvalu, or Nauru)
- ☐ Subcontinent Asian (Asian-Indian) American (persons with origins from India, Pakistan, Bangladesh, Sri Lanka, Bhutan, the Maldives Islands, or Nepal)
- ☐ Individual/concern, other than one of the preceding.

(end)